

M.P.....

L. & S. 21.11.22. SUB 369

SURVEY ORDER No.

17/2000

*Splans*

*Bk 1257 Pp. 53*

In the Ward of TACARIGUA.....

SURVEY OFFICE,

19<sup>th</sup> JANUARY 2000.....

To

MR ROBERT HAYNES.....

Land Surveyor

The application for the undermentioned parcel of Land having been approved, I request you to set out the Boundaries, by a Traverse Survey, and according to the Land Surveyors Rules, 1935.

Names of Petitioner and Residence	ACREAGE			Boundaries
	A.	B.	F.	
SUBDIVISION OF LOT 3 RE SURVEY ORDER 21/1969 BK 1008/184 STRIP OF LAND APPROX. 158 FEET IS TO BE LEFT AS AN ACCESS ROAD.				N. S. E. W.

Road to be reserved to provide access to

*Michael J...*  
Asy Director of Surveys

CERTIFICATES

I certify that I checked the steel tape used on the .....Standard on the..... day of..... and that I verified the compass used on the..... day of ..... on the Port-of-Spain Referring Mark.

Land Surveyor

I certify that I ran all the lines charged for myself and strictly observed Rule 10 and that ..... pillars and ..... irons were placed by me on the survey.

Pillars were taken at

*Robert Haynes*  
Land Surveyor



Sta.	Field	Deduced	Chain	N.	S.	E.	W.	Sta.	Meridian	Perpendicular	Double Longitudes	North Products	South Products	Sta.	Co-ordinates
Z		04° 16'	17.28				Y								
Y		18° 18'	3.29				W								
W		96° 45'	19.01				E								
E		186° 26'	19.60				D								
D		276° 26'	20.55				Z								
		Area 3A		by COMPUTER = 408.6 m <sup>2</sup>											
M		328° 26'	3.30				X								
X		04° 26'	17.21				Al								
Al		96° 26'	21.98				C								
C		186° 26'	19.60				E								
E		276° 45'	19.01				M								
		Area 3B		by COMPUTER = 420.2 m <sup>2</sup>											
		Area 3A & 3B		Total Area by COMPUTER = 828.8 m <sup>2</sup>											
		Comp. checked. P. H. T. by hand. 05.06.2000													

FIELD NOTES

		(1)	(2)
		C	
	irfd.	21.98	
	WALL	20.00	1.80
	3	BAKSH	3B
		8.50	2.00 3.50
		7.00	5.50
	4	I. WEBSTER	
		See Bk: 896	
		Foli: 205	
		0	W
		A <sub>1</sub>	14.40
		96° 26'	10.00
		A <sub>1</sub>	3A
	irfd.	17.21	4.40
		276° 26'	8.80
	B	27.79	1.00
	irfd.	17.10	1.50
		15.40	9.00
		11.80	
		7.80	
		7.00	7.80
		0.80	3B
		7.00	
		6.60	16.60
		7.55	
		0	19.60
		27.82	Railfd. 186° 26'
	irfd.	276° 26'	irfd. E
		0	2.76
		X	06° 26'
		04° 26'	irfd. C
		X	276° 45'
	irfd.	3.30	2.76
		3B	
		2	
		ROAD RES.	WALL
		0	D.E. DEAN
		19.01	See Bk: 1108
		96° 45'	Foli: 117
		irfd. E (col 2)	0
		W	3A
		320° 26'	Railfd. D
		W	276° 26'
	irpt	3.28	D
		3A	Railfd. 39.20
		ROAD RES.	Wire Fence
		0	
		27.74	
	irfd.	276° 26'	
		Y	3A
	irfd.	Y	48° 18'
		Y	
	irfd.	17.28	
		2	
		ROAD	TEEHOLEE
		CHADEE	E =
		See Bk: 1008	19.60
		Foli: 184	irfd. 19.01
			276° 45' W
		0	10.00
		20.55	2.00
		96° 26'	2.40
		irfd. D (col 2)	3B
		04° 16'	
		Z	0
			0
			irfd. C
			186° 26'

Surveyed in February 2000

See S/o 21/1969

Bearings are in Cassini Grid  
Distances are in Metres

Cadastral Sheet B.18-M  
Ward of Tacarigua  
County of St. George.