

[P.].....

L. & S.—53

& S. 17.147.....

Ceplaus

SURVEY ORDER No.

3974/2003

Bk. 12 90 fol. 169

in the Ward of..... TOSAGO.....

SURVEY OFFICE,

DECEMBER 11TH..... 19 2003

To
MR. HORACE ACHILLE T.R.S.
Land Surveyor

The application for the undermentioned parcel of Land having been approved, I request you to set out the Boundaries, by a Traverse Survey, and according to the Land Surveyors Rules, 1935.

Names of Petitioner and Residence	ACREAGE			Boundaries
	A.	B.	F.	
SURVEY OF LANDS TO BE LEASED TO WILLIAM BENJAMIN (12.2 HA) 2.2392 Has.				N. S. E. W.

Road to be reserved to provide access to

[Signature]
Director of Surveys

CERTIFICATES

I certify that I checked the steel tape used on theStandard on the..... day of..... and that I verified the compass used on the..... day of on the Port-of-Spain Referring Mark.

Land Surveyor

I certify that I ran all the lines charged for myself and strictly observed Rule 10 and that — pillars and 6 irons were placed by me on the survey.

Pillars were taken at

Horace A. Achille
Land Surveyor

Sta.	477M GRID —Feet—	Deduced	METRES —Chains—	N.	S.	E.	W.	Sta.	Meridian	Perpen- dicular	Double Longitudes	North Products	South Products	Sta.	Co-ordinates
A.	148° 02'		21.45					A.	1. pt						
B.	184° 08'		33.62					B.	1. pt						
C.	148° 12'		30.17					C.	1. pt						
D.	214° 01'		32.87					D.	1. pt						
E.	134° 37'		28.17					E.	1. pt						
1. pt	239° 06'		94.91					1. pt	1. pt						
1. pt	238° 02'		52.99					1. pt	1. pt						
1. pt	346° 41'		166.30					1. pt	1. pt						
1. pt	76° 08'		167.39					A	1. pt						
NEW TRAVERSE															
	477M		METRES												
A	148° 02'		21.45					A	1. pt						
B	184° 08'		33.62					B	1. pt						
C	184° 08'		16.98					C	1. pt						
D	200° 48'		31.28					D	1. pt						
E	167° 47'		28.70					E	1. pt						
F	239° 06'		94.91					F	1. pt						
1. pt	239° 02'		52.99												
"	346° 41'		166.30												
"	76° 08'		167.39												
TRAVERSE AREA = 2.2392 Hectares															
TOTAL AREA = 22,174.8 m ² AREA BY CURVE = 82.8 AREA TO BE LEASED = 22,392.0															

FIELD NOTES

(1)		(2)	
		See Col. 1	2870 E. Ir. pt.
1/2 Pd	166.30	ROAD	U RES. 10.06 m
1/2 Pd	121.83		
1/2 Pd	83.52	See Col. 1.	0 F 347° 47'
1/2 Pd	51.08	See Col. (1)	3128 E Ir. pt.
	0.0	WIDE	200° 48'
	346° 41'		0.0
1/2 Pd	52.99 = H (PK 39)	STATE (HOPE ESTATE)	16.98 D Ir. pt.
	0.0	10.06 m	184° 08'
	239° 02'		0.0
1/2 Pd	105.27	STATE RESERVE	33.62 C Ir. pt.
			0.0 184° 08'
F 1/2 Pd	10.36	ROAD	21.45 B Ir. pt.
	0.0		
	36.07		0.0 148° 02'
	1/2 Pd 7.93		A
	= 58° 14'		
RESERVE WIDE	0.0	ROAD Ir. pt	RES. T. WIDE -
		10.06 m	17152
ROAD 10.06 m	40.34 1/2 Pd.	1/2 Pd.	16739 A
	0.0	STATE (HOPE ESTATE)	
	353.09		
1/2 Pd.		1/2 Pd	0.0 76° 08'

MT PLEASANT CREDIT UNION CO-OPERATIVE SOCIETY LTD.

SURVEY WAS EXECUTED IN MARCH 2003. BEARINGS ARE UTM GRID BASED ON SOLAR OBSERVATIONS. DISTANCES ARE IN METRES. REFERENCE MADE TO PLAN PK 39, BK 1066:183, S.O 219/66, 9.0 34/81.